

THIRD-ORDER LEVELING  
NATIONAL GEODETIC VERTICAL DATUM OF 1929

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY


38-082-33  
WEBBVILLE QUADRANGLE  
162 KENTUCKY  
W3800-W8245/15  
DIAGRAM NJ 17-4  
HUNTINGTON

Carter, Elliott and Lawrence Counties

Final adjustment of 1973

Edition of 1/19/77

PR: LFB/mjh



NGS (USC&GS) VERTICAL CONTROL DATA

A. Quadrangle 380823

161 KENTUCKY  
WEBBVILLE QUADRANGLE

38-082-33  
W3800-W8245/15

INDEX OF PERMANENT MARKS

<u>MARK (USGS)</u>	<u>PAGE NO.</u>	<u>MARK (USGS)</u>	<u>PAGE NO.</u>
625 K 1900	3	TVA TT 16 NY 1952	6
630 K 1900	3	TVA TT 17 NY 1952	7
646 K 1900	3	TVA TT 18 NY 1952	7
650 K 1900	3	TVA TT 19 NY 1952	7
698 K 1900	3	20 NY 1952	5
736 K 1900	3	21 NY 1952	5
916 K 1900	3	22 NY 1952	5
TT 9 HF 1949 715	3	23 NY 1952	5
TVA TT 10 NY 1952	4		
TVA TT 11 NY 1952	4	<u>NGS</u>	
TVA TT 12 NY 1952	4		
TVA TT 13 NY 1952	6	C 92 1935 677.351	3
TVA TT 14 NY 1952	6	H 92 1935 654.680	3
TVA TT 15 NY 1952	6		

ISOLATED BENCH MARKS (By J. E. Buford, 1900; Book 8086)

Feet

Willard, 0.3 mi E. of station; at NE. corner of RR. bridge No. 15 over Dry Fork; in bridge seat; standard tablet stamped "625 K 1900" (Reported not found, 1953)	624.532
Webbville, 5.8 mi S. of, S. of small house standing nearby; 200 ft S. of rd. forks; on W. side of, and 30 ft from center of rd.; in sandstone ledge; standard tablet stamped "916 K 1900" (Reported not found, 1953)	914.996
Cherokee, 0.5 mi N. of mouth of Cherokee Creek, E. of rd., S. of small house; in sandstone ledge; standard tablet stamped "646 K 1900" (Reported destroyed, 1953)	645.659
Fielden, 2.0 mi E. of; at Pennington's store; near mouth of Hurricane Creek; on S. side of rd.; in foundation under NE. corner of house of W. L. Pennington; standard tablet stamped "698 K 1900" (Reported not found, 1953)	696.985
Willard, 5.0 mi SW. of; on W. bank of Little Fork Creek; 0.5 mi N. of house of Levi Pennington; in sandstone ledge between public rd. and creek; standard tablet stamped "650 K 1900"	649.793
Irad, 2.0 mi SW. of; 0.25 mi. E. of log schoolhouse; on N. bank of Blaine Creek; on S. side of, and 5 ft from center of rd. W. of house standing nearby; in large sand rock; standard tablet stamped "630 K 1900" (Reported destroyed, 1953)	629.817

LINE 1.

By R. P. Willingham, 1936; Book B6706

C 92 1935 677.351 (NGS)	677.351
Martha, 0.4 mi N. of; on E. side of, and 25 ft higher than rd.; 36 ft N. of oak tree on same side of rd.; in sandstone ledge; standard tablet stamped "736 K 1900" (Reported not found, 1953)	735.613

LINE 2.

By R. P. Willingham, 1936, Book B6706

"H 92 1935 654.680" (NGS)	654.680
U. E., Blaine, 0.3 mi W. of; at NW. corner of hwy. bridge over Blaine Creek, on bridge seat; chiseled mark	656.06

LINE 3.

By E. O. Miner, 1949; Book AV 100

Culver, 0.8 mi N. of post office, 24 ft S. and 41 ft W. of Y-rd. junction, 13 ft S. of middle of Green Branch, about 500 ft E. of Culver School, 2 ft S. and 4 ft W. of fence corner, in concrete post; standard tablet stamped "T1 9 HF 1949 715" (Reported not found, 1953)	715.542
U. E., 50 ft E. of Culver P. O., on E. end of N. headwall of concrete culvert; chiseled square	725.44

LINE 3 (Cont'd.)Feet

U. E., on NE. end of NW. headwall of concrete culvert; chiseled square

740.03

LINE 4.

By E. O. Miner, 1949, Book AV 100

U. E., at E. edge of cleared field, 100 ft W. of sandust pile, in N. base of  $\frac{1}{2}$  ft yellow poplar; spike nail

801.61

LINE 5. (Not of Third-Order Accuracy)

By TVA, 1953

U.E., Mitchins, 2.7 mi S. of post office; on State Highway 1 right-of-way; 11 ft W. of centerline of rd. at S. end of bridge, and 50 ft S. of centerline of creek; on SW. corner of S. concrete bridge abutment; on wooden bridge across Huff Creek; chiseled square

614.95

Willard, 1.8 mi N. of post office, along State Highway 1; 35 ft W. of centerline of hwy.; 350 ft S. of steel bridge on Highway 1; 150 ft SE. of coal leading chute; 132 ft W. of NW. corner of brick siding building; 16 ft ESE. of 30-in. elm tree; in concrete post; standard tablet stamped "TVA TT 10 NY 1952"

622.04

Reference mark; 176 ft SE. of tablet; on highest point of 50-by 10-ft sandstone rock; painted square

623.41

U.E., Willard, 0.5 mi N. of post office; on State Highway 1; 15 ft E. of centerline of rd. at N. end of steel bridge; on NE. corner of N. bridge abutment; painted square

622.73

Willard, 1.1 mi SE. of post office, along State Highway 1; 1.8 mi NW. of Webbville; 16 ft E. of centerline of Highway 1; 70 ft SE. of junction of V-rd.; 60 ft N. of center of bridge over stream; 36 ft N. of nail in guy pole; 10 ft NNW. of nail in power pole; in concrete post; standard tablet stamped "TVA TT 11 NY 1952"

634.18

U.E., Willard Post Office, 2.5 mi S. of; 0.7 mi N. of Webbville Post Office, on State Highway 1 right-of-way; 80 ft N. of swinging bridge; 30 ft W. of centerline of rd.; about 250 ft N. of large barn; in E. side of 3-in. sycamore tree; 18 in. above ground; iron pin

638.60

Webbville, 250 ft N. of post office, along State Highway 1; 30 ft E. of and level with centerline of hwy. at junction of State Highway 201 W.; 85 ft E. of centerline of Highway 201; 64 ft E. of SE. corner of steel bridge over Dry Fork; 56 ft SSW. of SW. corner of church; 29 ft N. of W. end of concrete walkway to large two-story house; in concrete post; standard tablet stamped "TVA TT 12 NY 1952"

649.33

U.E., Webbville Post Office, 0.9 mi SE. of, on State Highway 1; 30 ft NE. of and 3 ft above centerline of rd.; about 60 ft E. of centerline of rd. over drain; in sandstone outcrop; chiseled square

664.49



LINE 5 (Cont'd.)Feet

Webbville, 1.8 mi SE. of post office, on State Highway 1, on property of Harris Webb; 15 ft N. of and 1 ft lower than centerline of rd.; about 100 ft E. of fence corner; 2.7 ft E. of nail and cap in power pole; 73.5 ft SW. of SW. corner porch; in concrete post; standard tablet stamped "20 NY 1952"

690.57

Reference mark; 58.5 ft SW. of tablet; in 6-in. sycamore tree; spike

690.66

U.E., on State Highway 1 right-of-way; on NE. corner of N. headwall of 2-ft pipe culvert; chiseled square

769.52

Webbville, 3.6 mi SE. of Webbville, on State Highway 1 right-of-way and across rd. from Southern Methodist Church; 62 ft NW. of and 4 ft higher than centerline of T-rd. NE.; 20 ft N. of and 1 ft higher than centerline of rd.; 4.8 ft NW. of nail and cap in 8-in. locust tree; 99 ft NE. of NE. corner of church; in concrete post; standard tablet stamped "21 NY 1952"

914.04

U.E., Webbville, 4.6 mi E. of, on State Highway 1 right-of-way; on SW. corner of S. headwall of 3-ft concrete box culvert; chiseled square

737.40

Webbville, 5.6 mi SE. of post office, on State Highway 1 right-of-way; 0.5 mi NE. of T-rd. SW.; 16 ft NW. of and level with centerline of rd.; 1 ft E. of W. end of N. headwall of 18-in. pipe culvert; 32.5 ft SW. of nail and washer in 12-in. hickory; 47.1 ft SE. of spike in root of 12-in. double hickory tree; in culvert headwall; standard tablet stamped "22 NY 1952"

671.63

Reference mark; 47.1 ft NW. of tablet; in root of 12-in. double hickory tree; spike

673.46

U.E., Webbville, 7.6 mi E. of post office, on State Highway 1, about 250 ft SSE. of white two-story frame house; in center of SE. headwall of 4- by 8-ft concrete box culvert; chiseled square

651.55

Webbville, 8.8 mi E. of post office, on State Highway 1, on property of Fred Thompson, in yard at Fred Thompson's residence and store; 23 ft N. of and 4 ft higher than centerline of rd.; 58.6 ft SE. of nail and cap in power pole; 16 ft NW. of mailbox at corner of lawn fence; in concrete post; standard tablet stamped "23 NY 1952"

630.36

Reference mark; on NE. corner of N. headwall of 3- by 6-ft concrete box culvert; chiseled square

628.40

LINE 6. (Not of Third-Order Accuracy)

By TVA, 1953

U.E., iron pin (Described in line 5)

638.60

U.E., Webbville, 1.0 mi SW. of post office, along State Highway 201; 100 ft NW. of large barn; 40 ft NE. of 40-in. elm tree; on SW. corner of steel bridge; rivet

656.95

LINE 6 (Cont'd.)feet

Webbville, 2.0 mi S. of post office, along State Highway 201; 700 ft S. of farmhouse; 101 ft SSW. of nail in 12-in. oak tree; 45 ft SW. of nail in 16-in. post oak tree; 30 ft NE. of junction of Y-rd.; in concrete post; standard tablet stamped "TVA TT 13 NY 1952"	672.62
Reference mark; 22 ft NW. of tablet; on E. end of 14-in. concrete culvert; chiseled cross	665.02
U.E., Webbville, 3.1 mi SW. of post office, along State Highway 201; at old Kentucky Home School; on school property; 80 ft SW. of centerline of T-rd. W.; on NE. corner of top of concrete step of old Kentucky Home School; chiseled cross	681.53
Webbville, 3.9 mi S. of post office, along State Highway 201; 200 ft E. of one and one-half white frame residence of Ray Campbell; 88 ft SE. of nail in 24-in. poplar tree; 9 ft NW. of nail in 7-in. white oak tree; in concrete post; standard tablet stamped "TVA TT 14 NY 1952"	702.68
Reference mark; 55.6 ft NW. of tablet; on SE. corner of E. headwall of concrete culvert; chiseled cross	700.09
U.E., Webbville, 5.0 mi S. of post office; 0.6 mi N. of post office in Mouckville, along State Highway 201, on Blaine to Webbville rd., set at old sawmill site, about 0.2 mi N. of white frame house, and about 0.2 mi S. of crest of hill where rd. goes through saddle; on W. end of 24-in. concrete culvert; chiseled cross	761.06
Mouckville, 0.6 mi S. of post office, along State Highway 201; 6.1 mi S. of Webbville; 20 ft W. of centerline of hwy.; 225 ft E. of two-story white house; 86 ft NW. of mailbox; 85 ft NE. of footbridge; 5 ft SE. of nail and cross in fencepost; in concrete post; standard tablet stamped "TVA TT 15 NY 1952"	671.77
Reference mark; 66.35 ft NE. of tablet; on NW. corner of large limestone boulder; chiseled square	673.27
U.E., Webbville, 7.1 mi S. of post office; 1.5 mi S. of post office at Mouckville, along State Highway 201; about 0.2 mi S. of church; 13 ft W. of centerline of rd.; 200 ft N. of centerline of Y-rd. intersection, at S. end of 20-ft cut; on E. side of rd.; on E. side of 16-in. white oak 1.5 ft above ground; iron pin	674.05
Mouckville, 2.8 mi S. of; 200 ft N. of post office at Cherokee, along State Highway 201; 150 ft NW. of large two-story white house; 80 ft NW. of and 2.5 ft lower than junction of T-rd. W.; 35 ft W. of centerline of hwy.; 58 ft SW. of nail in 8-in. sycamore tree; 44 ft NE. of chiseled cross on NW. corner of W. concrete headwall of culvert; 24 ft NW. of nail in 36-in. sycamore tree; in concrete post; standard tablet stamped "TVA TT 16 NY 1952"	643.51
Reference mark; 44.5 ft SE. of tablet; on NW. corner of W. headwall of concrete culvert; chiseled cross	645.71
U.E., Cherokee Post Office, 1.1 mi S. of, along State Highway 201; 3.7 mi N. of post office in Blaine; 60 ft SW. of centerline of Y-rd.; on NW. corner of bridge across Wood Creek; rivet head 4th from bottom of E. row of rivets on NW. corner of steel bridge; painted rivet	645.02

LINE 6 (Cont'd.)Feet

Blaine, 2.6 mi NE. of post office, along State Highway 201; at S. end of cut on E. edge of rd. at curve; 32 ft E. of, and 2.5 ft lower than centerline of hwy.; W. of nail in 6-in. elm tree; NE. of nail in 10-in. maple tree; in concrete post; standard tablet stamped "TVA TT 17 NY 1952"	646.03
Reference mark; on W. side of sandstone rock outcrop NE. of tablet; chiseled square	651.17
U.E., Blaine, 1.6 mi N. of post office, along State Highway 201; 50 ft S. of E. end of swinging bridge (walking) across Mood Creek; 60 ft NW. of centerline of Y-rd.; 40 ft SE. of centerline of creek; in S. side of 12-in. sycamore 1.0 ft above ground; iron pin	644.44
Blaine, 0.7 mi N. of post office, along State Highway 201; 60 ft SE. of and level with junction of T-rd. E.; 4 ft NW. of NW. corner fencepost; W. of nail in 18-in. walnut tree; E. of nail in 8-in. walnut tree; in concrete post; standard tablet stamped "TVA TT 18 NY 1952"	651.22
Reference mark; on SE. corner of E. headwall of concrete culvert, due N. of tablet; chiseled cross	647.99
Blaine, 2.0 mi E. of post office, along State Highway 32; 206 ft SW. of junction of Brushy Creek Road S.; 13 ft SE. of centerline of graveled rd.; 93 ft SW. of nail and cap in power pole; 52 ft WNW. of E. corner of house; 1 ft SE. of fence line; at edge of cultivated field; in concrete post; standard tablet stamped "TVA TT 19 NY 1952"	659.4



HORIZONTAL CONTROL  
NORTH AMERICAN DATUM OF 1927

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

38-082-33  
WEBBVILLE QUADRANGLE  
161 KENTUCKY  
N3800-W8245/15  
DIAGRAM NJ 17-4  
HUNTINGTON


Boyd, Carter, Elliott and  
Lawrence Counties

Edition of 1/21/77

PR: CRV/rmm

Plane coordinates are based on Lambert  
projection, Kentucky, North Zone

Only the permanent marks are  
listed for control classified  
obsolete and are not shown on  
sketch





DISCLAIMER

We no longer attest to the validity of the positions listed for horizontal control established by transit traverse procedures. This control is now considered OBSOLETE and is included in this list for the purpose of identification only.

INDEX OF PERMANENT MARKS

<u>MARK (USGS)</u>	<u>PAGE NO.</u>
TT 3 HF 1949	3
TT 9 HF 1949	3
TVA TT 10 NY 1952	4
TVA TT 11 NY 1952	3
TVA TT 12 NY 1952	3
TVA TT 13 NY 1952	3
TVA TT 14 NY 1952	3
TVA TT 15 NY 1952	4
TVA TT 16 NY 1952	4
TVA TT 17 NY 1952	4
TVA TT 18 NY 1952	4
TVA TT 19 NY 1952	4
TVA TT 35 NY 1952	4
TVA TT 36 NY 1952	4
TVA TT 37 NY 1952	4
<u>NGS</u>	
M 123 1940	3

STATION	DESCRIPTION PLANE COORDINATES, FEET	LATITUDE ° ' "	LONGITUDE ° ' "
---------	--	-------------------	--------------------

The following positions are considered OBSOLETE. To be used only to locate permanent marks in the field.

By H. P. Finch, 1949; Book AH 136

Bruin, 4.5 mi NE. of, along State Highway 7; 600 ft W. of junction of I-rd. N.; 23 ft S. of centerline of hwy.; in concrete post; standard tablet stamped "TT 3 HF 1949" (Reported destroyed, 1953)

X = 2,361,625	Y = 268,805	38 13 52.96	82 59 27.82
---------------	-------------	-------------	-------------

Bruin, 4.4 mi NE. of post office, along State Highway 7; 300 ft NE. of curve and pine grove NW. of hwy.; 17 ft SE. of centerline of hwy.; in N. end of E. concrete headwall of culvert; NGS standard disk stamped "M 123 1940"

X = 2,361,121	Y = 268,961	38 13 54.57	82 59 34.11
---------------	-------------	-------------	-------------

Culver, 0.8 mi NE. of post office, along State Highway 486; 24 ft S. and 41 ft W. of centerline of hwy. at junction of Y-rd. NW.; 500 ft E. of Whites Creek School; 13 ft S. of Greens Branch; 2 ft S. and 4 ft W. of corner fencepost; in concrete post; standard tablet stamped "TT 9 HF 1949 715" (Not found, 1953)

X = 2,364,761	Y = 217,068	38 05 21.12	82 58 57.44
---------------	-------------	-------------	-------------

By M. L. Bennett (TVA), 1952; Fieldbooks MS 30207,30357

Willard, 1.1 mi SE. of post office, along State Highway 1; 1.8 mi NW. of Webbville; 16 ft E. of centerline of Highway 1; 70 ft SE. of junction of Y-rd.; 60 ft N. of center of bridge over stream; 36 ft N. of nail in guy pole; 10 ft NNW. of nail in power pole; in concrete post; standard tablet stamped "TVA TT 11 NY 1952"

X = 2,390,692	Y = 257,692	38 11 59.02	82 53 25.64
---------------	-------------	-------------	-------------

Webbville, 250 ft N. of post office, along State Highway 1; 30 ft E. of and level with centerline of hwy. at junction of State Highway 201 W.; 85 ft E. of centerline of Highway 201; 64 ft E. of SE. corner of steel bridge over Dry Fork; 56 ft SSW. of SW. corner of church; 29 ft N. of W. end of concrete walkway to large two-story house; in concrete post; standard tablet stamped "TVA TT 12 NY 1952"

X = 2,396,193	Y = 250,345	38 10 45.59	82 52 18.11
---------------	-------------	-------------	-------------

Webbville, 2.0 mi S. of post office, along State Highway 201; 700 ft S. of farmhouse; 101 ft SSW. of nail in 12-in. oak tree; 45 ft SW. of nail in 16-in. post oak tree; 30 ft NE. of junction of Y-rd.; in concrete post; standard tablet stamped "TVA TT 13 NY 1952"

X = 2,397,604	Y = 241,976	38 09 22.66	82 52 02.01
---------------	-------------	-------------	-------------

Webbville, 3.9 mi S. of post office, along State Highway 201; 200 ft E. of and 1.5 story white frame residence of Ray Campbell; 88 ft SE. of nail in 24-in. poplar tree; 9 ft WNW. of nail in 7-in. white oak tree; in concrete post; standard tablet stamped "TVA TT 14 NY 1952"

X = 2,403,039	Y = 234,247	38 08 05.44	82 50 55.45
---------------	-------------	-------------	-------------



STATION	DESCRIPTION	LATITUDE	LONGITUDE
PLANE COORDINATES, FEET		° ' "	° ' "

OBSOLETE MARKS (Cont'd.)

Houckville, 0.6 mi S. of post office, along State Highway 201; 6.1 mi S. of Webbville; 20 ft W. of centerline of hwy.; 225 ft E. of two-story white house; 86 ft NW. of mailbox; 85 ft NE. of footbridge; 5 ft SE. of nail and cross in fencepost; in concrete post; standard tablet stamped "TVA TT 15 NY 1952"

X = 2,400,955	Y = 223,172	38 06 16.29	82 51 23.63
---------------	-------------	-------------	-------------

Houckville, 2.8 mi S. of; 200 ft N. of Cherokee Post Office; along State Highway 201; 150 ft NW. of large two-story white house; 80 ft NW. of and 2.5 ft lower than junction of T-rd. W.; 35 ft W. of centerline of hwy.; 58 ft SW. of nail in 8-in. sycamore tree; 44 ft NE. of chiseled cross on NW. corner of W. concrete headwall of culvert; 24 ft NW. of nail in 36-in. sycamore tree; in concrete post; standard tablet stamped "TVA TT 16 NY 1952"

X = 2,406,254	Y = 213,632	38 04 41.18	82 50 19.16
---------------	-------------	-------------	-------------

Blaine, 2.6 mi NE. of post office, along State Highway 201; at S. end of cut on E. edge of rd. at curve; 32 ft E. of, and 2.5 ft lower than centerline of hwy.; W. of nail in 6-in. elm tree; NE. of nail in 10-in. maple tree; in concrete post; standard tablet stamped "TVA TT 17 NY 1952"

X = 2,410,592	Y = 204,595	38 03 11.20	82 49 26.67
---------------	-------------	-------------	-------------

Blaine, 0.7 mi N. of post office, along State Highway 201; 60 ft SE. of and level with junction of T-rd. E.; 4 ft NW. of NW. corner fencepost; W. of nail in 18-in. walnut tree; E. of nail in 8-in. walnut tree; in concrete post; standard tablet stamped "TVA TT 18 NY 1952"

X = 2,405,879	Y = 197,925	38 02 05.98	82 50 26.86
---------------	-------------	-------------	-------------

Willard, 1.8 mi N. of post office, along State Highway 1; 35 ft W. of centerline of hwy.; 350 ft S. of steel bridge on Highway 1; 150 ft SE. of coal loading chute; 132 ft W. of NW. corner of brick siding building; 16 ft ESE. of 30-in. elm tree; in concrete post; standard tablet stamped "TVA TT 10 NY 1952"

X = 2,386,659	Y = 259,245	38 13 53.81	82 54 14.04
---------------	-------------	-------------	-------------

Baline, 2.0 mi E. of post office, along State Highway 32; 206 ft SW. of junction of Brushy Creek Road S.; 13 ft SE. of centerline of graveled rd.; 93 ft SW. of nail and cap in power pole; 52 ft WNW. of E. corner of house; 1 ft SE. of fence line; at edge of cultivated field; in concrete post; standard tablet stamped "TVA TT 19 NY 1952"

X = 2,413,294	Y = 195,828	38 01 44.12	82 48 54.60
---------------	-------------	-------------	-------------

Dennis, 4.2 mi SW. of school, along State Highway 828; 20 ft NW. of centerline of hwy.; 150 ft SW. of centerline of rd. at drain; 100 ft NE. of NE. end of cut on SE. side of rd.; 84 ft NNW. of 8-in. poplar tree; 80 ft ESE. of 10-in. pear tree; 50 ft NE. of old log barn; in sandstone outcrop; standard tablet stamped "TVA TT 37 NY 1952"

X = 2,418,440	Y = 230,189	38 07 22.97	82 47 43.52
---------------	-------------	-------------	-------------

STATION	DESCRIPTION	LATITUDE	LONGITUDE
	PLANE COORDINATES, FEET	° ' "	° ' "

OBSOLETE MARKS (Cont'd.)

Dennis, 2.5 mi SW. of school, along State Highway 828; 25 ft N. of centerline of hwy.; on property of A. Crabtree; 150 ft NE. of, and across rd. from sawmill site; 56 ft E. of 20-in. white oak tree; 52 ft ENE. of N. end of concrete pipe culvert; 49 ft WSW. of SW. corner of coal chute; 9 ft SE. of SE. corner of house; in concrete post; standard tablet stamped "TVA TT 36 NY 1952"

X = 2,422,974	Y = 236,857	38 08 28.18	82 46 45.45
---------------	-------------	-------------	-------------

Dennis, 0.8 mi SW. of school, along State Highway 828; 89 ft N. of dim crossroad; 18 ft W. of centerline of hwy.; on property of Jim Compton; 250 ft S. of low rock bluff on W. side of rd.; 200 ft N. of house; 122 ft N. of 12-in. balm-of-Gilead tree; 10 ft E. of picket fencepost; in concrete post; standard tablet stamped "TVA TT 35 NY 1952"

X = 2,429,741	Y = 239,718	38 08 55.37	82 45 20.19
---------------	-------------	-------------	-------------